



EST.  2010

PILLAR TOOLS[®].CO.NZ

*The professional's choice
in affordable quality*

Specialist tools for New Zealand's horticulture and viticulture industry

| | | | | | | | |
|--|---|---|---|--|--|---|---|
|  |  |  |  |  |  |  |  |
| 3103A Rotating Handle Alloy Secateurs Features fatigue-reducing lower rotating handle. Upper Blade superior Japanese SK5 steel, heat-treated, precision-ground (replaceable). Lower Blade high-carbon S50C steel. Resin spill groove. Chrome-plated finish. Overall Size & Weight 215mm; 294gms. Effective Opening & Cutting adjustable 30≈47mm; 15≈23mm. Body & Handle drop-forged alloy body and handles, with PVC grips. Balanced rotating lower handle. Two position locking lever. Replacement Parts top blade, spring, pivot bolt assembly, buffer. | 3103A-4 Forward-Cutting Alloy Secateurs Features forward-cutting design for vine work – similar to leading European brands. Upper Blade superior Japanese SK5 steel, heat-treated, precision-ground (replaceable). Lower Blade high-carbon S50C steel. Resin spill groove. Chrome-plated finish. Overall Size & Weight 215mm; 250gms. Effective Opening & Cutting adjustable 30≈47mm; 15≈23mm. Body & Handle drop-forged alloy body and handles, with PVC grips. Two position locking lever. Replacement Parts top blade, spring, pivot bolt assembly, buffer. | 3169A-PVC; 3169A-1 PVC Heavy-Duty Alloy Secateurs Features heavy-duty, ergonomic design. PVC dipped handles. Upper Blade superior Japanese SK5 steel. Heat-treated, precision-ground, non-stick black finish (replaceable). Lower Blade high-carbon S50C steel. Resin spill groove. Chrome-plated finish. Overall Size & Weight 215mm, 250gms (small); 230mm, 257gms (large). Effective Opening & Cutting 45mm / 20mm (small); 55mm / 22mm (large). Body & Handle drop-forged alloy body and ergonomic handles. Steel locking pin. Replacement Parts top blade, spring, pivot bolt assembly, buffer. | 3170-1 Thumb-Lock Alloy Secateurs Features squeeze to release thumb-lock latch. Lightweight mid-size design. Upper Blade superior Japanese SK5 steel, heat-treated, precision-ground (replaceable). Lower Blade high-carbon S50C steel. Resin spill groove. Chrome-plated finish. Overall Size & Weight 205mm; 205gms. Effective Opening & Cutting 47mm; 23mm. Body & Handle drop-forged alloy body and handles, with PVC grips. Thumb-latch lock. Replacement Parts top blade, spring, pivot bolt assembly, buffer. | 3169NY-1; 3169NY Nylon Handle Alloy Secateurs Features fibreglass reinforced polymer handles for lightweight and comfort grip. Upper Blade superior Japanese SK5 steel, heat-treated, precision-ground (replaceable). Lower Blade high-carbon S50C steel. Resin spill groove. Heat-treated finish. Overall Size & Weight 210mm, 237gms (small); 230mm, 239gms (large). Effective Opening & Cutting 45mm / 20mm (small); 55mm / 22mm (large). Body & Handle moulded from fibreglass reinforced polymer. Steel locking pin. Replacement Parts top blade, spring, pivot bolt assembly, buffer. | 3050-1 BP Sure-Grip Secateurs Features economical, professional, heavy-duty precision pruning. Upper Blade precision-ground SK5 steel, razor edge sharpen. Teflon coated. Resin taper. Lower Blade precision-ground mid-carbon steel, heat-treated to S50C. Hard chrome-plated. Overall Size & Weight 203mm; 188gms. Effective Opening & Cutting 45mm; 25mm living wood. Body & Handle medium sized, glass reinforced nylon handle with TRP non-slip SOFT-GRIP inserts. Replacement Parts top blade, compression spring, pivot bolt assembly, buffer. | 3103A-6 Heavy-Duty Anvil Secateurs Features forward cutting design with an anvil blade system. Upper Blade superior Japanese SK5 steel. Heat-treated, precision-ground (replaceable). Lower Blade heat-treated duralumin anvil block. Overall Size & Weight 210mm; 225gms. Effective Opening & Cutting 45mm; 20mm. Parallelogram cantilever action. Body & Handle drop-forged alloy body and handles with PVC grips. Thumb activated locking lever. Replacement Parts top blade, anvil blade, spring, pivot bolt assembly, buffer. | 3312-BP Mini Secateurs Features professional and precision pruning, ideal for small hands. Upper Blade precision-ground hi-carbon steel, razor edge sharpen. Hard chrome-plated. Lower Blade mid-carbon steel, heat-treated to S50C. Hard chrome-plated. Overall Size & Weight 180mm; 136gms. Effective Opening & Cutting 40mm; 16-20mm living wood. Body & Handle small sized, plastic moulded handle with ergonomic fit. Thumb operated safety lock. Replacement Parts compression spring, buffer. |
|  |  |  |  |  |  |  |  <div> 9565-1 Folding Saw </div> <div> 9575A Pruning Saw with Scabbard </div> |
| PILJV8-GS Grafting Shears *indent orders only Features professional grafting shears with extended razor knife blade. Ideal for mass production grafting. Upper Blade precision honed, razor finish, hi-carbon steel, chrome-plated. Blade cutting length 55mm. Lower Blade drop-forged cast steel, precision ground, chrome plated. Overall Size & Weight 190mm; 210gms. Effective Opening & Cutting 28mm, 5-20mm living wood. Body & Handle cast steel handles, PVC coated grip. Rear handle heavy-duty safety lock. Replacement Parts top blade, spring. | PILJ60-GT All'n1 Grafting Multi Tool *indent orders only Features multi-function cut and slice blades. Ideal for grafting of tree lines. Angle cut, dice, slice, wedge, split, trim and cut. Upper Blade two precision, hi-carbon steel blades, 45mm. Lower Blade two precision, hi-carbon steel blades, 60mm. Overall Size & Weight 240mm; 362gms. Effective Opening & Cutting 40mm; 10≈15mm. Body & Handle drop-forged cast aluminium, PVC grip. Thumb safety lock. Replacement Parts spare blades, spring, pivot bolt assembly. | 3505S-/SS Stainless Steel Fruit Picking Snips Features lightweight and durable. Upper Blade precision-ground 420 knife grade stainless steel. Lower Blade ‘serrated’ precision-ground 420 knife grade stainless steel. Overall Size, Blade Length & Weight 185mm; 45mm (blade length); 116gms. Effective Opening & Cutting 40mm / 10mm living wood. Body & Handle screwed & riveted centre pivot with teflon washer. Pressed, high-tensile steel handles, PVC dipped. Replacement Parts spare blades, spring, pivot bolt assembly. Replacement Parts spring, safety lock & finger hold. | 7118 ByPass Mini Loppers *indent orders only Features designed for high speed close-proximity use, when secateurs are not strong enough. Upper Blade precision-ground Japanese SK5 steel, razor edge sharpened. Lower Blade serrated grip, mid-carbon S55C, precision-ground. Hardened & tempered. Hard chrome-plated. Overall Size & Weight 400mm; 495gms. Effective Opening & Cutting 45mm; cuts 10≈25mm living wood. Body & Handle Oval heat treated 6061-T4 aluminium fluted tubing with comfort grips. Replacement Parts top blade, buffers. | PILJH1160-60 ByPass Professional Loppers Features lightweight precision lopper designed for fast operation [similar to P-14/16]. Upper Blade precision-ground Japanese SK5 steel, razor edge sharpened. Lower Blade precision stamped and ground mid-carbon steel, heat-treated to S50C, with resin groove. Overall Size & Weight 600mm, 920gms. Cuts 35mm living wood. Body & Handle oval heat treated ‘bright’ hi-tensile steel tubing with comfort grips. Replacement Parts top blade, pivot bolt assembly, buffers, bolt set. | 7116 ByPass Heavy-Duty Loppers Features exceptional strength, close proximity lopping design, low bark damage. Upper Blade precision-ground Japanese SK5 steel. Lower Blade drop-forged, mid-carbon, heat-treated S50C steel with resin groove. Overall Size & Weight 600mm, 1.050kg or 750mm, 1.057kg. Effective Opening Width 55mm max. Cuts 40mm living wood. Body & Handle oval tubular heat-treated 6061-T4 alloy with comfort grips. Replacement Parts top blade, lower blade, pivot bolt assembly, buffers, blade attach bolt set. | PILJH1163P-60 ByPass Heavy-Duty Loppers Features exceptional strength, lightweight precision lopper, designed for heavy-duty professional operation. Upper Blade drop-forged, precision-ground SK5 steel, razor edge sharpened. Lower Blade drop-forged, mid-carbon S55C, with resin spill. Overall Size & Weight 600mm, 905gms. Cuts 35mm living wood. Body & Handle Oval heat treated 6061-T4 aluminium tubing with comfort grips. Forged alloy connecting lugs, bolted. Replacement Parts top blade, lower blade, pivot bolt assembly, buffers, nuts & bolts. | 9565-1 Folding Saw; 9575A Pruning Saw with Scabbard Features super fast pruning saw. Available in either folding blade design, or fixed blade with scabbard cover including belt-hold for convenience and portability. Saw Blade S55 high carbon steel, triple-ground cutting teeth . Rolled back-taper for reduced sticking. Overall and Blade Size Folding Saw: 180mm (blade length); Fixed Saw: 420mm, 270mm (blade length). Body & Handle durable reinforced ABS polymers. Non-slip, TRP soft-grip handle insert. |



PILK-05 3'n1 Professional Blade Sharpener Tool

Features a carbide steel sharp-edge and guide plate for easy, convenient sharpening. Ergonomic hand fit.

Ideal for storing in a pocket or Apron Bag.

Includes lubricating oil bottle and oiling felt, conveniently housed within the handle.

Accessories extra oil bottle available.



PILK-06 6'n1 Professional Multi-Tool Sharpener

Sharpens four different blade types, plus lubricates and maintains tools blades.

Features a carbide steel sharp-edge and guide plate. Carbide and ceramic scraper block. Safety trigger guard.

Easy to use ergonomic hand fit. Ideal for storing in a kitchen drawer, pocket or Apron Bag.

Includes lubricating oil bottle and oiling felt, conveniently housed within the handle.

Accessories extra oil bottle available.



Extreme Durability Superior Twist-Ties

Features high quality, paper and wire, water resistant with smooth finish. Bundles 1000pcs.

Paper 6mm natural colour, laminated, hot-rolled then 'baked' for water resistance and strength.

Wire soft annealed, light and easy to twist bright steel, making it easier on the fingers. Instantly work-hardens after twisting. Individual clean-cut and finished to 125mm length.



PILNJ99T Tape Tool, Tape and Staples

Features high performance, lightweight strapping tape-tool. Perfect for attaching stems to canes, wires or stakes.

Overall Size & Weight 340mm; 510gms.

Effective Opening 50mm.

Effective Strapping Depth 60mm.

Staples 604C.

Tape 75mm diameter rolls, 12mm width. [Boxed 500pcs].

Guaranteed when using genuine Pillar Tools tape.

Replacement Parts serrated cutting blades, staple tensioner.

Made in Taiwan.

The World's Best Apron Bag
...Just got Better!
NEW Improved 2018 Features



Enhance your team's image with your own branded apron bags. Ask about our FREE embroidery service.



Horticultural Apron Bag and Belt

Designed and engineered in New Zealand, to meet the requirements of the Horticultural, Vine and Orchard Industries. Fully customisable – simply choose from any of the fully functional belt attachments.

New 2018 Apron Bag Features heavy-duty polyester fabric, ultra heavy-duty strengthened polyester thread, heavy-duty fully formed and knurled rivets, larger 120mm length belt loops, two separate velcro secured front dividers inside pouch-front, velcro secured inner bottom wear plate, hi-visibility polyester webbing safety band, reinforced protected bottom corners, drain eyelets in the base.

New 2018 Waist Belt features glass reinforced buckle, now with a longer 1.6m length cut-to-size webbing and belt loop.

Horticultural Apron Bag and Belt Attachment Options

New 2018 Secateur / Pruner Scabbard moulded, heavy duty vinyl. Aluminium imbedded side plates to withstand blade damage. Angled design for fast deployment. Deeper 35mm opening. Available in right or left-hand design.

New 2018 Lopper Scabbard moulded, heavy duty vinyl. Provides safe storage and fast retrieval of most loppers. Includes Scabbard Reducer for storing smaller sized loppers. Includes top, side and bottom belt loops. Deeper 50mm opening.

New 2018 Bottle Holder perfect for on-the-go hydration. Wider 100mm diameter. Riveted with Webbing belt loops.

Shoulder Harness ergonomically designed for maximum comfort. Helps reduce waist and back strain. Easily adjustable.

EST. 2010

PILLAR TOOLS[®].CO.NZ

22 Clearwater Place, Mayfield,
Blenheim, 7201, New Zealand
ph. +64(0)21 332 221
email sales@pillartools.co.nz
www.pillartools.co.nz